

健康科學研究所檢驗分析中心



2018年臺灣罐頭食品工業同業公會『會員優惠價目表』

測試項目		認證	樣品量	工作天	定價(元) 含稅	優惠價(元) 含稅	套裝價
微生物 測試	總生菌數	TAF、TFDA	100 g/ 100 ml	5~7	800	720	3項套裝優待 價 2,000元
	大腸桿菌群	TAF、TFDA	100 g/ 100 ml	5~7	1,000	900	
	大腸桿菌	TAF、TFDA	100 g/ 100 ml	5~10	1,300	1,170	
	黴菌 & 酵母菌	TAF	100 g/ 100 ml	5~7	800	720	
	沙門氏菌	-	100 g/ 100 ml	5~7	1,300	1,000	
	金黃色葡萄球菌	-	100 g/ 100 ml	5~7	1,300	1,000	
	綠膿桿菌(水中)	-	500 ml	5~7	1,300	1,000	
	糞便型鏈球菌(水中)	-	500 ml		1,300	1,000	
	李斯特菌	-	100 g	5~7	1,300	1,000	
保溫試驗	37°C, 10天	-	3罐	15	2000	1,400	會員優惠
國內外 營養 標示 成分	水分	TAF、TFDA	50g	5~7	500	425	5大營養 標示成分 優待價 4,000 元
	灰分	TAF、TFDA	50g	5~7	500	425	
	脂肪(或乳脂肪)	TAF、TFDA	50g	5~7	900	765	
	蛋白質(或乳蛋白質)	TAF、TFDA	50g	5~7	900	765	8大營養 標示成分 優待價 6,000 元
	鈉	TAF、TFDA	50g	5~7	900	765	
	飽和脂肪&反式脂肪	-	50g	5~7	2,500	2,125	
	總糖	TAF	50g	5~7	2,700	2,295	
	碳水化合物	-	100g	5~7	2,700	2,295	新版美國FDA 14項營養標示 優待價18,000 元 (樣品額外添加 糖的部分請自 行確認)
	熱量	-	50g	5~7	2,700	2,295	
	總膳食纖維(AOAC985.29)	TAF、TFDA	50g	5~7	4,000	3,200	
	總膳食纖維(AOAC2001.03)	-	50g	7~10	16,000	14,700	
	膽固醇	-	50g	5~7	3,000	2,500	
	維生素A	-	50g	5~7	3,000	2,700	
	β-carotene	-	50g	5~7	3,000	2,700	
	維生素C	-	50g	5~7	2,000	1,700	
	維生素D	-	50g	5~7	3,500	3,500	
	鈣	TAF、TFDA	50g	5~7	1,100	1,000	
鐵	TAF、TFDA	50g	5~7	1,100	1,000		
鉀	TAF	50g	5~7	1,000	900		
真菌 毒素	黃麴毒素aflatoxin	TAF、TFDA	100g	5~7	3,000	2,550	
	赭麴毒素Ochratoxin	TAF、TFDA	100g	5~7	3,500	2,975	
	橘黴素citrinin	TAF、TFDA	50g	5~7	3,000	2,700	
	棒麴毒素Patulin	-	50g	5~7	3,000	2,700	
防腐劑	酸類防腐劑： 水醋酸、己二烯酸、苯 甲酸、水楊酸及對羥苯 甲酸	TAF、TFDA	100g	5~7	2,500	2,000	12項套裝價 3,700元
	酯類防腐劑： 對羥基苯甲酸甲酯、對 羥基苯甲酸乙酯、對羥 基苯甲酸丙酯、對羥基 苯甲酸異丙酯、對羥基 苯甲酸丁酯、對羥基苯 甲酸異丁酯、對羥基苯 甲酸第二丁酯)	TAF、TFDA	100g	5~7	4,000	2,800	
	丙酸	TAF	100g	5~7	2,500	2,000	

測試項目		認證	樣品量	工作天	定價(元) 含稅	優惠價(元) 含稅	套裝價
人工甜味劑	糖精 Saccharin	-	100g	5~7	2,500	2,000	4項套裝價 3,000元
	環己基(代)磺醯胺酸Cyclamate	-	100g	5~7	2,500	2,000	
	甘精Dulcin	-	100g	5~7	2,500	2,000	
	醋磺內酯鉀(Acesufame-K)	-	100g	5~7	2,500	2,000	
	蔗糖素	-	100g	5~7	2,500	2,000	
	甘草素(以甘草酸計)	-	100g	5~7	3,000	2,600	
漂白劑	二氧化硫(SO ₂)	TAF	100g	5~7	1,500	1,020	
	過氧化氫(H ₂ O ₂)	TAF TFDA	100g	5~7	800	700	
保色劑	亞硝酸鹽	-	100g	5~7	2,500	2,000	
其它有害物質	硼砂	TAF	100g	5~7	800	680	
	蘇丹紅1號	-	100g	5~7	3,500	3,000	
	順丁烯二酸	TFDA	100g	5~7	2,500	2,250	
	三聚氰胺	-	100g	5~7	2,500	2,250	
	二甲基黃及二乙基黃	-	100g	5~7	3,500	3,000	
	塑化劑9項	-	100g	5~7	2,700	2,295	
	丙烯醯胺	-	100g	5~7	3,000	2,700	
	4-甲基咪唑	-	100g	5~7	3,000	2,700	
	苯芘	-	100g	5~7	3,000	2,700	
	甲醛	-	100g	5~7	2,000	1,700	
	香豆素	-	100g	5~7	2,500	2,000	
重金屬及礦物質	總重金屬(以鉛計)	-	50g	3~5	1,000	900	
	砷	TAF	50g	5~7	1,500	1,350	
	鉛	TAF	50g	5~7	1,500	1,350	鉛、錫2項套裝 優待價2,000元 (表列增項會員 另有電洽優惠)
	鎘	TAF	50g	5~7	1,500	1,350	
	銅	TAF	50g	5~7	1,500	1,350	
	鎘	-	50g	5~7	1,500	1,350	
	汞	-	50g	5~7	1,500	1,350	
	錫	-	50g	5~7	1,500	1,350	
	錳	-	50g	5~7	1,500	1,350	
	鉻	-	50g	5~7	1,500	1,350	
	鋅	TAF TFDA	50g	5~7	1,500	1,350	
	氯	TAF	50g	5~7	1,500	1,350	
	鎂	TAF	50g	5~7	1,300	1,100	
	磷	-	50g	5~7	1,500	1,350	
多重農藥殘留	373多重農藥殘留	TAF 部分認證	300g	5~7	5,500	4,400	會員優待價 4,000元
	總農藥殘留(生化法)	-	300g	3~5	1,000	800	
膳食纖維及醣類	總膳食纖維(AOAC985.29)	TAF、TFDA	50g	5~7	4,000	3,200	
	不溶性膳食纖維(AOAC991.42)	-	50g	5~7	4,000	3,200	
	總膳食纖維(AOAC2001.03)	TAF	50g	5~7	16,000	14,700	
	聚果糖(菊糖,inulin)	TAF、TFDA	50g	5~7	3,500	3,000	
	葡聚糖(β-glucan)	TAF、TFDA	50g	5~7	3,500	3,000	
	粗多醣體	-	100g	5~7	4,000	3,500	
	異麥芽寡醣 (包含Isomaltose、D-Panose、 Isomaltotriose)	-	50g	5~7	6,000	5,100	
	果寡醣(包含1-Ketose、1- fructofuranosylmaltose、Nystose)	-	50g	5~7	6,000	5,100	
半乳糖(Galactose) 4'-galactosyllactose三醣 galactotetraose四醣	-	50g	5~7	9,500	8,000		

測試項目		認證	樣品量	工作天	定價(元) 含稅	優惠價(元) 含稅	套裝價
食品中 醣類	澱粉(Starch)	-	50g	5~7	2,000	1,800	6項套裝價 2,100元
	總糖(Total sugar)	-	50g	5~7	2,700	2,100	
	還原糖(Reducing sugar)	-	50g	5~7	2,000	1,800	
	果糖(Fructose)	TAF	50g	5~7	2,000	1,800	
	葡萄糖(Glucose)	TAF	50g	5~7	2,000	1,800	
	蔗糖(Sucrose)	TAF	50g	5~7	2,000	1,800	
	麥芽糖(Maltose)	TAF	50g	5~7	2,000	1,800	
	乳糖(Lactose)	TAF	50g	5~7	2,000	1,800	
	半乳糖(Galactose)	-	50g	5~7	2,000	1,800	
	三梨糖醇(sorbitol)	-	50g	5~7	3,500	3,000	
	甘露糖醇(Mannitol)	-	50g	5~7	3,500	3,000	
	麥芽糖醇(Maltitol)	-	50g	5~7	3,500	3,000	
	木糖醇(Xylosicalcohol)	-	50g	5~7	3,500	3,000	
食用油 脂檢測	比重(Specific gravity)	-	50g	5~7	600	500	
	折射率(Refractive index)	-	50g	5~7	600	500	
	酸價(AV)	-	50g	5~7	800	700	
	過氧化價(POV)	-	50g	5~7	1,200	1,000	
	皂化價(Saponification value)	-	50g	5~7	1,500	1,200	
	脂肪酸組成	-	30g	5~7	2,500	2,125	
	發煙點(Smoke point)	-	100g	5~7	1,000	800	
	膽固醇(Cholesterol)	-	50g	5~7	3,000	2,500	
	反式脂肪&飽和脂肪	-	50g	5~7	2,500	2,125	
	不皂化物(Unsaponifiable matter)	-	100g	5~7	1,500	1,200	
	EPA、DHA(油脂樣品)	-	50g	5~7	3,500	3,000	
	EPA、DHA(非油脂樣品)	-	50g	5~7	4,300	3,800	
	芥酸(Erucic acid)	-	30g	5~7	2,500	2,125	
	砷(As)	-	30g	5~7	1,500	1,350	
	鉛(Pb)	-	30g	5~7	1,500	1,350	
	汞(Hg)	-	30g	5~7	1,500	1,350	
	鎘(Cd)	-	30g	5~7	1,500	1,350	
	銅(Cu)	-	30g	5~7	1,500	1,350	
	錫(Sn)	-	30g	5~7	1,500	1,350	
	單元+多元+OMEGA-3脂肪酸	-	50g	5~7	4,000	3,500	
食品中的 維生素	維生素C	-	50g	5~7	2,000	1,700	
	維生素E(α 、 γ)	-	50g	5~7	3,500	3,000	
	維生素A(Retinol)	-	50g	5~7	3,500	3,000	
	β -Carotene	-	50g	5~7	3,500	3,000	
	總胡蘿蔔素	-	50g	5~7	3,500	3,000	
	葉酸(folic acid)	-	50g	5~7	3,500	3,000	
	維生素B1 (thiamine)	-	50g	5~7	3500	3000	
	維生素B2 (riboflavin)	-	50g	5~7	3,500	3,000	
	維生素 B6 (pyridoxine)	-	50g	5~7	3,500	3,000	
	菸鹼酸(nicotinic acid)	-	50g	5~7	3,500	3,000	
	菸鹼醯胺(nicotinamide)	-	50g	5~7	3,500	3,000	
	維生素 D	-	50g	5~7	4,000	3,500	

測試項目		認證	樣品量	工作天	定價(元) 含稅	優惠價(元) 含稅	套裝價
其他成分	檸檬酸(Citric acid)	-	50g	5~7	2,000	1,800	5項套裝價 3,000元
	醋酸(Acetic acid)	-	50g	5~7	2,000	1,800	
	酒石酸(Tartaric acid)	-	50g	5~7	2,000	1,800	
	乳酸(Lactic acid)	-	50g	5~7	2,000	1,800	
	蘋果酸(Malic acid)	-	50g	5~7	2,000	1,800	
	17種游離胺基酸	-	50g	5~7	3,800	3,500	
	17種水解後胺基酸	-	50g	5~7	4,100	3,800	
	色胺酸(Tryptophane)	-	50g	5~7	3,400	3,000	
	非乳脂固形物	-	50g	5~7	1,800	1,500	
	黏度	-	50g	5~7	600	500	
	乳品中酪蛋白	-	50g	5~7	2,500	2,500	
	乳品中乳清蛋白	-	50g	5~7	2,000	2,000	
	粒徑分析 (0.1~600um) Particle size analysis	-	50g	5~7	1,500	1,200	
	羥脯胺酸	-	50g	5~7	4,000	3,800	
	膠原蛋白質	-	50g	5~7	5,000	4,250	
	瓜胺酸(Citrulline)	-	50g	5~7	4,000	3,800	
	總多酚(Total polyphenol)	-	50g	5~7	1,800	1,500	
	茄紅素(Lycopene)	-	100g	5~7	4,000	3,500	
	兒茶素(含 Catechin、EC、EGCG、EGC、ECG、GCG、CG、GC 共八種)	-	50g	5~7	5,000	4,250	
	原花青素(Proanthocyanidins)	-	50g	5~7	3,500	3,000	
	總花青素(Total anthocyanidins)	-	50g	5~7	2,500	2,000	
	聚果糖(Fructan, Inulin) 長鏈	-	50g	5~7	3,500	3,000	
	大豆異黃酮(isoflavones, 包含 genistein、daidzein、daidzin、genistin、glycitein、glycitin 六種)	-	50g	5~7	6,000	5,100	
	Ellagic acid	-	50g	5~7	3,500	3,000	
	茶胺酸(Theanine)	-	50g	5~7	3,500	3,000	
	白藜蘆醇(trans -Resveratrol)	-	50g	5~7	4,000	3,500	
	粗多醣體	-	50g	5~7	4,000	3,500	
	聚果糖(Fructan ; Inulin) (高水解、短鏈菊糖)	-	30g	5~7	6,000	5,000	
	β -D-葡聚糖(β -glucan)	-	30g	5~7	3,500	3,000	
	綠原酸 Chlorogenic acid	-	50g	5~7	3,500	3,000	
	咖啡酸 Caffeic acid	-	50g	5~7	3,500	3,000	
	Ellagic acid	-	50g	5~7	3,500	3,000	
	阿魏酸 erulic acid	-	50g	5~7	3,500	3,000	
齊敦果酸 Oleanolic acid	-	50g	5~7	3,500	3,000		
Ursolic acid	-	50g	5~7	3,500	3,000		
總類黃酮素(Flavonoids)	-	50g	5~7	3,500	3,000		
蜂膠中總類黃酮素	-	50g	5~7	5,000	4,250		
槲皮素(Quercetin)	-	50g	5~7	4,000	3,500		
葉黃素 (Lutein)	-	50g	5~7	4,000	4,000		
Monacolin-K	-	50g	5~7	4,000	3,500		
橄欖苦素(Oleuropein)	-	50g	5~7	4,000	3,600		
芸香苷(Rutin)	-	50g	5~7	4,000	3,500		
薑黃素(Curcumin)	-	50g	5~7	4,000	3,500		
類硫葫蘿蔔素(D,L-Sulforaphane)	-	50g	5~7	4,000	3,600		
腺苷(Adenosine)	-	200g	5~7	4,000	3,500		

測試項目		認證	樣品量	工作天	定價(元) 含稅	優惠價(元) 含稅	套裝價
其他成分	蟲草素(Cordycepin)	-	50g	5~7	6,000	5,400	
	總三萜(Total triterpenoid)	-	50g	5~7	4,000	3,500	
	SOD-like activity 超氧陰離子之清除能力 (Superoxide dismutase)	-	50g	5~7	4,000	4,000	
	芝麻素(Sesamin)	-	50g	5~7	4,000	3,600	
	橘皮苷(Hesperidin)	-	50g	5~7	4,000	3,600	
	甘草酸(Glycyrrhizin)	-	50g	5~7	3,500	3,000	
	唾液酸	-	50g	5~7	7,000	6,000	
	肉桂醛(trans-Cinnamaldehyde)	-	50g	5~7	4,000	3,800	
	肌肽(L-carnosine)	-	50g	5~7	3,500	3,000	
	甲肌肽(Anserine)	-	50g	5~7	10,500	9,500	
	γ -胺基丁酸(GABA)	-	50g	5~7	4,000	3,800	
	pH	-	50g	5~7	300	200	
	總酸(Acidity)	-	50g	5~7	600	500	
	總固形物(Total solid)	-	50g	5~7	600	500	
	糖度(Brix)	-	50g	5~7	300	200	
	氯化鈉(鹽度,Salt)	-	50g	5~7	800	600	
	不溶性固形物	-	50g	5~7	1,000	800	
	水活性(water activity)	-	50g	5~7	1,000	800	
	甲醛態氮	-	50g	5~7	1,500	1,500	
	胺基酸態氮	-	50g	5~7	3,000	2,550	
	揮發性鹽基態氮(VBN)	-	50g	5~7	1,500	1,500	
	果糖酸(Levulinic acid)	-	50g	5~7	3,000	2,500	
	酒精(Alcohol)	-	200g	5~7	2,500	2,000	
	甲醇(Methanol)	-	200g	5~7	2,500	2,000	
	咖啡因(Caffeine)	TAF	50g	5~7	2,000	1,700	
	辣椒素(Capsaicinoids)	-	100g	5~7	3,000	2,700	
	單寧(Tannin)	-	100g	5~7	2,500	2,125	
食品之抗氧化活性測定 (Determination of antioxidant Activity)	總多酚(Total polyphenol)	-	50g	5~7	1,800	1,500	
	維生素 C	-	50g	5~7	2,000	1,700	
	維生素 E(α 、 γ)	-	50g	5~7	3,500	3,000	
	SOD-like activity 超氧陰離子(Superoxide dismutase)	-	50g	5~7	4,000	3,800	
	氧自由基吸收能力 ORAC(Oxygen radical absorbance capacity)(親水性)	-	50g	5~7	4,000	3,800	
	清除 DPPH 自由基能力	-	50g	5~7	2,000	1,700	
酵素活性測試	α -amylase 活性	-	50g	5~7	3,500	3,000	
	β -amylase 活性	-	50g	5~7	3,500	3,000	
	納豆激酶酵素活性	-	50g	5~7	4,000	3,800	

測試項目	認證	樣品量	工作天	定價(元) 含稅	優惠價(元) 含稅	套裝價
食品添加物 純度測試	1.Vitamin.C.	50g	3~5	2,000	1,700	
	2.碳酸鈣(CaCO3)	50g	3~5	1,200	1,000	
	3.氯化鉀(KCl)	50g	3~5	1,200	1,000	
	4.檸檬酸(Citric acid)	50g	3~5	1,200	1,000	
	5.乳酸(Lactic acid)	50g	3~5	1,200	1,000	
	6.乳酸鈣(Calcium lactate)	50g	3~5	1,200	1,000	
	7.甘氨酸(Alanine)	50g	3~5	1,200	1,000	
	8.琥珀酸(Succinic acid)	50g	3~5	1,200	1,000	
	9.酒石酸(Tartaric acid)	50g	3~5	1,200	1,000	
	10.琥珀酸鈉(Sodium succinate)	50g	3~5	1,200	1,000	
	11.甘草素(Glycyrrhizin)	50g	3~5	1,200	1,000	
	12.BHT	50g	3~5	2,000	1,800	
	13.TBHQ	50g	3~5	2,000	1,800	
	14.三梨糖醇(Sorbitol)	50g	3~5	2,000	1,800	
	15.IMP & GMP	50g	3~5	2,000	1,800	
	16.異抗壞血酸鈉(Sodium Erythorate)	50g	3~5	1,200	1,000	
	17.檸檬酸鈉(Sodium citrate)	50g	3~5	1,200	1,000	
	18.碳酸氫鈉(NaHCO3)	50g	3~5	1,200	1,000	
	19.碳酸鈉(Na2 CO3)	50g	3~5	1,200	1,000	
	20.蘋果酸(Malic acid)	50g	3~5	1,200	1,000	
	21.氯化鈣(CaCl2)	50g	3~5	1,200	1,000	
	22.氫氧化鈣 Ca(OH)2	50g	3~5	1,200	1,000	
	23.超多磷素(P2O5)	200g	3~5	1,200	1,000	
	24.碳酸鈣(CaCO3)	200g	3~5	1,200	1,000	
	25.L-羥丁胺酸 L-Threonine	50g	3~5	1,200	1,000	
食品中動、 植物性成分	1.素食鑑定 (不含五辛素)	200g	3~5	5500	4000	全素標示 優待價3,300
	2.牛成份定性	200g	3~5	3000	2750	
	3.豬成份定性	200g	3~5	3000	2750	
	4.雞成份定性	200g	3~5	3000	2750	
	5.羊成份定性	200g	3~5	3000	2750	
	6.魚成份定性(鮪、鯖、旗)	200g	3~5	6000	5100	
	7.鮪屬魚類成份定性(7種)	200g	5~7	9500	8000	
	8.蛋、奶類素食鑑定	200g	3~5	5000	3500	
	9.禾本科穀物粉定性鑑定 (米、大麥、小麥、裸麥、 燕麥、玉米、蕷苡)	50g	5~7	7000	6000	
過敏原成份	1.麩質過敏原定性	50g	3~5	5000	4000	
	2.花生過敏原定性	50g	3~5	3000	3500	
	3.雞蛋過敏原定性	50g	3~5	5000	3500	
	4.牛乳過敏原定性	50g	3~5	3000	3500	
	5.麩質過敏原定量	50g	3~5	8500	8000	優待價7,200
非基因改造 食品鑑定	基因改造黃豆、玉米品項 定性、定量	200- 1000g	5~7	5000~18000	3500~15000	視檢測品項數 量優惠

付款方式：您可選擇下列任何一種方式

- 1.現金繳付，匯款帳號 5849717333890 合作金庫 東嘉義分行，戶名：愛之味股份有限公司。
- 2.或以支票、匯票繳付，寄至『621 嘉義縣民雄鄉頭橋工業二路 11 號 愛之味股份有限公司檢驗分析中心收』，支票抬頭：愛之味股份有限公司。
- 3.連絡電話：05-2211521 #763、760 / 連絡人：陳曉華 或 蔡梅花